Journal of Orthopaedic Research
12:887-888 The Journal of Bone and Joint Surgery, Inc.
© 1994 Orthopaedic Research Society

Journal of Orthopaedic Research

Volume 12, 1994

AUTHOR INDEX

Acito AJ, 742
Adams MR, 331
Agarwal A, 340
Alanen A, 509
Albelda SM, 384
Alberton GM, 612
An K-N, 197, 205, 665
Andersson GBJ, 689
Andriacchi TP, 311
Arner EC, 321
Arnoczky SP, 350
Arokoski J, 161
Ashton IK, 186
Åström M, 246
Athanasiou KA, 340

Baker DG, 83, 532
Banes AJ, 253
Beard DJ, 219
Beauvais PJ, 464
Becker PL, 737
Benbrahim A, 709
Berman AT, 421
Best TM, 582
Beynnon BD, 789
Blancas E, 747
Blankevoort L, 238
Bogart L, 657
Bolander ME, 40
Böstman O, 403
Boyan BD, 542
Brandt KD, 229
Brekke JH, 871
Brenner RA, 211
Brighton CT, 384
Brigman BE, 253
Brooks BP, 542
Brown DA, 758
Bruno A, 268
Buckwalter JA, 144

Campbell MA, 365
Carlson CS, 331
Carlsson L, 274
Carter FM, 119
Cassim A, 732
Cavanagh PR, 412
Chaffin DB, 689
Chang CC, 526
Chao EYS, 40, 814, 834
Cheung DT, 395
Choi N-Y, 796
Chorney GS, 804
Claes L, 70
Clark CC, 601
Cohen B, 804
Commisso CN, 515
Cooney WP III, 197, 205
Cooper MF, 871
Crabb ID, 299
Cucheran DJ, 15
Cuckler J, 83, 532

Dahlberg L, 21
Dahners LE, 683
Dean DD, 542
Deibert MC, 878
del Carmen Aguilar M, 747
Delmi M, 432
DeLong CA, 229
Delp SL, 860
Desaki J, 447
Di Cesare PE, 395
Dick HM, 804
DiMaio FR, 79
Dodd CAF, 219
Douple EB, 871
Ducheyne P, 83, 532
Dunn EA, 229
Dunn MG, 128
Dutkowsky JP, 737
Dzida FJ, 340

Edwards WT, 211
Egger EL, 814
Eisenstein SM, 186
Ekström LA, 103
Engebretsen L, 780
Engle CP, 357
Erb H, 485
Erkintalo M, 509
Evans CH, 286

Fay LA, 211
Fergusson CM, 219
Fitzsimmons JS, 515
Fleming BC, 789
Fortino MD, 211
Frank CB, 15
Freeman PM, 311
Fu FH, 286

Gallay SH, 515
Gamble JG, 758
Gebhardt MC, 621
Gelb H, 83
Georgescu HI, 286
Gerstenfeld LC, 709
Glant TT, 720
Gleim GW, 592
Gluzband YA, 151
Goldberg VM, 439, 751
Goldner RD, 582
Gottlander M, 274
Gottsauner-Wolf F, 814
Grande DA, 485
Grant AD, 747
Gray ML, 709
Greco DS, 871
Greenleaf JF, 40
Gregg P, 29
Greis PE, 286
Grodzinsky AJ, 151
Grynpas MD, 742
Guilak F, 474
Gunlikson R, 844

Hamada M, 672
Hamamoto T, 58
Hambleton J, 542
Hamilton RL, 758
Han X, 93
Handley CJ, 365
Hannafin JA, 350
Hanson PB, 699
Hansson TH, 103
Harrigan TP, 648
Harris WH, 648
Hart DA, 564
Haskell WL, 758
Hay J, 29
Hedlund R, 113
Heiner JP, 657
Helminen HJ, 161
Hendrickson DA, 485
Hendriks JCM, 238
Henshaw RM, 648
Herberts P, 274
Hershman EB, 592
Hoerrner LA, 21
Holden MB, 48
Holm S, 93
Hou S-M, 294
Howell DS, 451, 498
Hu P, 253
Hughes RE, 689
Huiskes R, 238
Hukuda S, 853

Iannotti JP, 601
Ijiri S, 628
Ilstrup DM, 40
Imaeda T, 197, 205
Imai S, 853
Itoh T, 447
Itoi E, 665

Jacobs JJ, 720
Jaffray DC, 186
Jasty M, 648
Jayo MJ, 331
Jerome CP, 331
Johansson C, 274
Johnson GA, 796
Johnson RJ, 789
Jonsson H, 769
Jurvelin J, 161

Kääpä E, 93
Kahn A, 612
Kalenak A, 412
Kaneps AJ, 822
Kärrholm J, 769
Kashimoto O, 262
Kasra M, 742
Kauer JMG, 238
Kaweblum J, 747
Kaweblum M, 747
Keller TS, 103
Keyak J, 553
Keyak JH, 822
Khare A, 542
Khoury MA, 751
Kim AS, 553
Kimura JH, 311
King GJW, 665
Kiviranta I, 161
Kleftogiannis F, 365
Kohles S, 657
Kohles SS, 834
Koman A, 48
Komattu AV, 860
Komu M, 509
Kooloos JGM, 238
Kotani S, 628
Kovanen V, 93
Kurokawa T, 193
Kusuzaki K, 621
Kyberd PJ, 219

L'Italien GJ, 709
Lafortune MA, 412
Lane N, 474
Langrana NA, 119
Lark MW, 21
Lavender SA, 689
Lawrence WT, 253
Lazarus MD, 532
Lee CK, 119
Lee JM, 742
Lehman WB, 747
Lehto I, 509
Les CM, 822
Levine RE, 796
Lew DP, 432
Lew WD, 780
Lewallen DG, 40
Lewis JL, 138, 637, 780

Liboff AR, 878
Lilly EG III, 582
Lindquist C, 780
Linscheid RL, 197
Litke DS, 683
Llinas A, 732
Loeser RF, 331
Lohmander LS, 21
Lorei MP, 592
Luna M, 542
Lust G, 485

MacGinitie LA, 151
Maeda T, 853
Manicourt DH, 498
Mankin HJ, 621
Manley P, 657
Marder RA, 699
Markel MD, 834
Martin B, 375
Matano T, 193
Matsuda Y, 447
Maxian SH, 128
McGann LE, 15
McHugh MP, 592
McKellop HA, 732
Mcleod BR, 878
Megerman J, 709
Mente PL, 637
Merritt K, 526
Minor RM, 485
Misra S, 601
Miura Y, 515
Mommersteeg TJA, 238
Morrey BF, 665
Mote CD Jr, 553
Mow VC, 176, 451, 474, 498, 804
Müller FJ, 144, 451, 498
Muneta T, 138
Murphy PG, 564
Murrell GAC, 582

Nakagawa Y, 58
Nakamura, T, 628
Natarajan RN, 311
Neidlinger-Wilke C, 70
Nessler J, 144
Neumann P, 103
Nicholas SJ, 592
Nichols CE, 789
Niebur G, 197, 205
Niebur GL, 665
Nimni ME, 395
Nishijima N, 576
Nixon AJ, 485
Noguchi M, 357
Nojima M, 672
Notoya K, 628
Novak KA, 15

O'Connor BL, 229
O'Connor DO, 648
O'Connor JJ, 219
O'Driscoll SW, 515
O'Halloran JJ, 79
O'Keefe RJ, 299
Ohland KJ, 357
Ohno K, 796
Oki S, 447
Okumura H, 447
Oni OOA, 29

Paajanen H, 509
Päivärinta U, 403
Park S-H, 732
Parsons JR, 119
Parvin D, 844
Paul EM, 268
Perry L, 103
Phillips DP, 804
Pita JC, 144, 451, 498
Plasha E, 421
Poff BC, 780
Polak JM, 186
Pollock FE Jr, 48
Pope MH, 789
Pottenger LA, 612
Powers BE, 871
Puzas JE, 299

Quale JM, 79

Ratcliffe A, 464, 474
Regnér L, 274
Renström P, 789
Richards CF, 601
Rijal KP, 262
Rinsky L, 758
Rizen M, 709
Roberts MT, 29
Roberts S, 186
Rock MG, 834
Rogers PI, 229
Roos H, 21
Rose J, 758
Rosenwasser MP, 474
Rosier RN, 299

Säämänen A-M, *161*
Saed-Nejad F, 464
Saito T, 384
Sakurai M, 262
Sandell LJ, 1
Sarmiento A, 732
Schachar NS, 15
Schaffer JL, 709
Schultz FM, 814
Schumacher HR, 83
Schumacher HR Jr, 532
Schwartz Z, 542
Schwarz PD, 871
Seaber AV, 582
Setton LA, 451, 498
Sevastik B, 113
Sevastik J, 113
Sharkey NA, 699
Shaw JA, 268
Shelley FJ, 357
Shibata T, 447, 672
Shimizu K, 58
Siegler S, 421
Sim FH, 814
Skaggs DL, 176
Skinner HB, 553
Smith BP, 48
Smith JJ, 780
Smith RA, 737
Smith SD, 878
Smith TL, 48
Sommer HJ III, 412
Spadaro JA, 211
Spitz AL, 592
Springfield DS, 621
Stafford HJ, 29
Stevenson S, 439, 751
Stewart NJ, 138
Stover SM, 822
Straw RC, 871
Strongwater AM, 747
Sugai JV, 1
Suzuki K, 58

Taitz AD, 612
Takala T, 93
Tamai K, 193
Tammi M, 161
Taylor KT, 822
Todhunter RJ, 485
Tohyama H, 789
Tramaglini DM, 796
Trippel SB, 1
Trumble TE, 844
Tsuzaki M, 253

Ueba Y, 576
Ueda M, 58
Ulm M, 657

van den Berg WB, *168*
van der Kraan PM, 168
van Osch GJVM, 168
Vanderby R Jr, 657, 834
Vanharanta H, 93
Vasey H, 432
Vaudaux P, 432
Vilensky JA, 229
Vuono-Hawkins M, 119

Wang D, 421
Wang S-J, 40
Warden WH, 176
Watanabe M, 672
Weaver DS, 331
Werner FW, 211
Westlin N, 246
Wilke H-J, 70
Williams RS, 737
Wilson SC, 268
Windeler SW, 542
Withrow SJ, 871
Wixson RL, 860
Wolff D, 439
Woo SL-Y, 357, 796

Xiong B, 113

Yamamuro T, 58, 576, 628
Yazdi M, 395
Yin H, 253
Yu H-Y, 294

Zawadsky JP, 128
Zimmerman MC, 119

Journal of Orthopaedic Research
12:889-898 The Journal of Bone and Joint Surgery, Inc.
© 1994 Orthopaedic Research Society

Journal of Orthopaedic Research

Volume 12, 1994

SUBJECT INDEX

ABH antigens
Demonstration of HLA and ABH antigens in fresh and frozen human menisci by immunohistochemistry, 751

Absolute strain reference
Determination of a zero strain reference for the anteromedial band of the anterior cruciate ligament, 789

Acetabulum
Comparative study of the intrinsic mechanical properties of the human acetabular and femoral head cartilage, 340
Ingrowth reduces implant-to-bone relative displacements in canine acetabular prostheses, 657

Adriamycin
An assay to measure adriamycin binding in osteosarcoma cells, 621

Age/Aging
Aging, vertebral density, and disc degeneration alter the tensile stress-strain characteristics of the human anterior longitudinal ligament, 103
Effect of animal age and chronicity of interleukin-1 exposure on cartilage proteoglycan depletion *in vivo*, 321
Histological and radiographic determination of the age of physeal closure of the distal femur, proximal tibia, and proximal fibula of the New Zealand White rabbit, 747
Tensile and viscoelastic properties of human patellar tendon, 796

Aggrecan
Differential levels of synovial fluid aggrecan aggregate components in experimental osteoarthritis and joint disuse, 464
Effect of link protein and free hyaluronic acid binding region on spacing of proteoglycans in aggregates, 612
Expression of collagens I, II, X, and XI and aggrecan mRNAs by bovine growth plate chondrocytes *in situ*, 1
Short communication: Structural differences between two populations of articular cartilage proteoglycan aggregates, 144

Aggregate modulus
Comparative study of the intrinsic mechanical properties of the human acetabular and femoral head cartilage, 340
Compressive stress-relaxation behavior of bovine growth plate may be described by the nonlinear biphasic theory, 804
Mechanical properties of canine articular cartilage are significantly altered following transection of the anterior cruciate ligament, 451

Ankle
Effects of immobilization on Achilles tendon healing in a rat model, 582
Technique for *in vivo* measurement of the three-dimensional kinematics and laxity characteristics of the ankle joint complex, 421

Annulus fibrosus
Collagens in the injured porcine intervertebral disc, 93
Neuropeptides in the human intervertebral disc, 186

Antibiotics
Comparison of antibiotic release from polymethylmethacrylate beads and sponge collagen, 737
In vitro elution of ciprofloxacin from polymethylmethacrylate cement beads, 79

Antigens
Demonstration of HLA and ABH antigens in fresh and frozen human menisci by immunohistochemistry, 751
Systemic immune response to peripheral nerve transplants across major histocompatibility class-I and class-II barriers, 844

Arm
The entire rotator cuff contributes to elevation of the arm, 699

Bacterial adherence
Infection at the site of implanted materials with and without preadhered bacteria, 526
Role of fibronectin in staphylococcal adhesion to metallic surfaces used as models of orthopaedic devices, 432

Barium sulfate
Comparison of the inflammatory response to particulate polymethylmethacrylate debris with and without barium sulfate, 532

Biaxial strain
Cyclic stretching of human osteoblasts affects proliferation and metabolism: a new experimental method and its application, 70
Device for the application of a dynamic biaxially uniform and isotropic strain to a flexible cell culture membrane, 709

Blood flow
Blood flow in the human Achilles tendon assessed by laser Doppler flowmetry, 246

Bone
Aging, vertebral density, and disc degeneration alter the tensile stress-strain characteristics of the human anterior longitudinal ligament, 103
Comparison of primate and canine models for bone ingrowth experimentation, with reference to the effect of ovarian function on bone ingrowth potential, 268
Cortical and trabecular bone contribute strength to the osteopenic distal radius, 211
Effects of intermittent administration of pamidronate on the mechanical properties of canine cortical and trabecular bone, 742
Elastic modulus of calcified cartilage is an order of magnitude less than that of subchondral bone, 637
Femoral prosthesis implantation induces changes in bone stress that depend on the extent of porous coating, 553
Flexor tendon growth in chickens, 576
Histomorphometric analysis of the repair of a segmental diaphyseal defect with ceramic and titanium fibermetal implants: the effects of bone marrow, 439
Identification of integrin receptors on cultured human bone cells, 384
Ingrowth reduces implant-to-bone relative displacements in canine acetabular prostheses, 657
Mechanical evaluation of a canine intervertebral disc spacer: *in situ* and *in vivo* studies, 119
Response of three murine macrophage populations to particulate debris: bone resorption in organ cultures, 720
Tendons attached to prostheses by tendon-bone block fixation: an experimental study in dogs, 814

Bone morphogenetic protein
Effect of sterilization on bone morphogenetic protein, 628

Calcification
Mathematical model for the mineralization of bone, 375

Calcitonin gene-related peptide
Neuropeptides in the human intervertebral disc, 186

Calcium
Effects of thapsigargin, an intracellular calcium-mobilizing agent, on synthesis and secretion of cartilage collagen and proteoglycan, 601

Calpain
Calcium-dependent neutral proteinase (calpain) in fracture healing of rats, 58

Capacitively coupled electric fields
Effect of capacitively coupled electric fields on an experimental model of delayed union of fracture, 262

Capitellocondylar total elbow
Malrotation of the humeral component of

the capitellocondylar total elbow is not a major cause of dislocation, 665

Carpometacarpal joints
Metabolic activity of bovine articular cartilage during refrigerated storage, 15

Cartilage
Articular cartilage thickness and glycosaminoglycan distribution in the young canine knee joint after remobilization of the immobilized limb, 161
Centrifugal and biochemical comparison of proteoglycan aggregates from articular cartilage in experimental models of joint disuse and joint instability, 498
Chondrocyte-fibrin matrix transplants for resurfacing extensive articular cartilage defects, 485
Comparative study of the intrinsic mechanical properties of the human acetabular and femoral head cartilage, 340
Effect of animal age and chronicity of interleukin-1 exposure on cartilage proteoglycan depletion *in vivo*, 321
Effect of link protein and free hyaluronic acid binding region on spacing of proteoglycans in aggregates, 612
Effects of thapsigargin, an intracellular calcium-mobilizing agent, on synthesis and secretion of cartilage collagen and proteoglycan, 601
Elastic modulus of calcified cartilage is an order of magnitude less than that of subchondral bone, 637
Electric field stimulation can increase protein synthesis in articular cartilage explants, 151
Mechanical and biochemical changes in the superficial zone of articular cartilage in canine experimental osteoarthritis, 474
Mechanical properties of canine articular cartilage are significantly altered following transection of the anterior cruciate ligament, 451
Metabolic activity of bovine articular cartilage during refrigerated storage, 15
Osteoarthritis in cynomolgus macaques: a primate model of naturally occurring disease, 331
Relationship of donor site to chondrogenic potential of periosteum *in vitro*, 515
Short communication: Structural differences between two populations of articular cartilage proteoglycan aggregates, 144
Site-specific cartilage changes in murine degenerative knee joint disease induced by iodoacetate and collagenase, 168

Cell cultures
Comparison of the inflammatory response to particulate polymethylmethacrylate debris with and without barium sulfate, 532
Culture surfaces coated with various implant materials affect chondrocyte growth and metabolism, 542
Cyclic stretching of human osteoblasts affects proliferation and metabolism: a new experimental method and its application, 70
Device for the application of a dynamic biaxially uniform and isotropic strain to a flexible cell culture membrane, 709
Effects of transforming growth factor-β1 and fibroblast growth factor on DNA synthesis in growth plate chondrocytes are enhanced by insulin-like growth factor-I, 299
Fibronectin in the tendon-synovial complex: quantitation *in vivo* and *in vitro* by ELISA and relative mRNA levels by polymerase chain reaction and Northern blot, 253
Identification of integrin receptors on cultured human bone cells, 384
Influence of exogenous growth factors on the expression of plasminogen activators and plasminogen activator inhibitors by cells isolated from normal and healing rabbit ligaments, 564
Response of three murine macrophage populations to particulate debris: bone resorption in organ cultures, 720

Cement
Fit of the uncemented femoral component and the use of cement influence the strain transfer to the femoral cortex, 648
In vitro elution of ciprofloxacin from polymethylmethacrylate cement beads, 79
In vivo inflammatory response to polymethylmethacrylate particulate debris: effect of size, morphology, and surface area, 83

Ceramic
Histomorphometric analysis of the repair of a segmental diaphyseal defect with ceramic and titanium fibermetal implants: the effects of bone marrow, 439

Cerebral palsy
Muscle pathology and clinical measures of disability in children with cerebral palsy, 758

Chemotherapy
Effects of *cis*-diamminedichloroplatinum II released from D,L-polylactic acid implanted adjacent to cortical allografts in dogs, 871

Chondrocytes
Chondrocyte cells respond mechanically to compressive loads, 311
Chondrocyte-fibrin matrix transplants for resurfacing extensive articular cartilage defects, 485
Culture surfaces coated with various implant materials affect chondrocyte growth and metabolism, 542
Effects of thapsigargin, an intracellular calcium-mobilizing agent, on synthesis and secretion of cartilage collagen and proteoglycan, 601
Effects of transforming growth factor-β1 and fibroblast growth factor on DNA synthesis in growth plate chondrocytes are enhanced by insulin-like growth factor-I, 299
Electric field stimulation can increase protein synthesis in articular cartilage explants, 151
Expression of collagens I, II, X, and XI and aggrecan mRNAs by bovine growth plate chondrocytes *in situ*, 1
Metabolic activity of bovine articular cartilage during refrigerated storage, 15

Chondrogenesis
Relationship of donor site to chondrogenic potential of periosteum *in vitro*, 515

Ciprofloxacin
In vitro elution of ciprofloxacin from polymethylmethacrylate cement beads, 79

Cisplatin
Effects of *cis*-diamminedichloroplatinum II released from D,L-polylactic acid implanted adjacent to cortical allografts in dogs, 871

Cold storage
Metabolic activity of bovine articular cartilage during refrigerated storage, 15

Collagen
Centrifugal and biochemical comparison of proteoglycan aggregates from articular cartilage in experimental models of joint disuse and joint instability, 498
Characterization of extracellular matrix macromolecules from bovine synovial capsule, 365
Chondrocyte-fibrin matrix transplants for resurfacing extensive articular cartilage defects, 485
Collagens in the injured porcine intervertebral disc, 93
Effect of sterilization on bone morphogenetic protein, 628
Effects of lathyritic drugs and lathyritic demineralized bone matrix on induced and sustained osteogenesis, 395
Effects of thapsigargin, an intracellular calcium-mobilizing agent, on synthesis and secretion of cartilage collagen and proteoglycan, 601
Expression of collagens I, II, X, and XI and aggrecan mRNAs by bovine growth plate chondrocytes *in situ*, 1
Intraosseous incorporation of composite collagen prostheses designed for ligament reconstruction, 128
Maturation-related biochemical changes in swine anterior cruciate ligament and tibialis posterior tendon, 672
Mechanical and biochemical changes in the superficial zone of articular cartilage in canine experimental osteoarthritis, 474
Nonuniform distribution of collagen density in human knee ligaments, 238

Collagenase
Particle-induced synthesis of collagenase by synovial fibroblasts: an immunocytochemical study, 286
Site-specific cartilage changes in murine degenerative knee joint disease induced by iodoacetate and collagenase, 168

Computed tomography
Cortical and trabecular bone contribute strength to the osteopenic distal radius, 211
Estimation of material properties in the equine metacarpus with use of quantitative computed tomography, 822

Contraction latency
Reflex hamstring contraction latency in the anterior cruciate ligament deficient subject, 219

Cytokines
Effect of animal age and chronicity of

interleukin-1 exposure on cartilage proteoglycan depletion *in vivo*, 321
In vivo inflammatory response to polymethylmethacrylate particulate debris: effect of size, morphology, and surface area, 83

Demineralized bone
Effects of lathyritic drugs and lathyritic demineralized bone matrix on induced and sustained osteogenesis, 395

Diffusion
Effect of cyclic and static tensile loading on water content and solute diffusion in canine flexor tendons: an *in vitro* study, 350
Mathematical model for the mineralization of bone, 375

Disc
Aging, vertebral density, and disc degeneration alter the tensile stress-strain characteristics of the human anterior longitudinal ligament, 103
Collagens in the injured porcine intervertebral disc, 93
Diurnal fluid changes of lumbar discs measured indirectly by magnetic resonance imaging, 509
Mechanical evaluation of a canine intervertebral disc spacer: *in situ* and *in vivo* studies, 119
Neuropeptides in the human intervertebral disc, 186
Scanning electron microscopic observations of the vascular structure of vertebral endplates in rabbits, 447

Dislocation
Malrotation of the humeral component of the capitellocondylar total elbow is not a major cause of dislocation, 665

Disuse
Centrifugal and biochemical comparison of proteoglycan aggregates from articular cartilage in experimental models of joint disuse and joint instability, 498
Differential levels of synovial fluid aggrecan aggregate components in experimental osteoarthritis and joint disuse, 464

Donor site
Relationship of donor site to chondrogenic potential of periosteum *in vitro*, 515

Drug delivery
Comparison of absorption of aqueous lidocaine and liposome lidocaine following topical application on rabbit vessels, 294
Comparison of antibiotic release from polymethylmethacrylate beads and sponge collagen, 737
Effects of *cis*-diamminedichloroplatinum II released from D,L-polylactic acid implanted adjacent to cortical allografts in dogs, 871
In vitro elution of ciprofloxacin from polymethylmethacrylate cement beads, 79

Elastic modulus
Aging, vertebral density, and disc degeneration alter the tensile stress-strain characteristics of the human anterior longitudinal ligament, 103
Effects of intermittent administration of pamidronate on the mechanical properties of canine cortical and trabecular bone, 742
Elastic modulus of calcified cartilage is an order of magnitude less than that of subchondral bone, 637
Estimation of material properties in the equine metacarpus with use of quantitative computed tomography, 822

Elbow
Malrotation of the humeral component of the capitellocondylar total elbow is not a major cause of dislocation, 665

Electrical stimulation
Effect of capacitively coupled electric fields on an experimental model of delayed union of fracture, 262
Effects of different levels of direct current on early ligament healing in a rat model, 683
Electric field stimulation can increase protein synthesis in articular cartilage explants, 151

Electromagnetic fields
Ion resonance electromagnetic field stimulation of fracture healing in rabbits with a fibular ostectomy, 878

Electromyography
Evaluation of muscle force prediction models of the lumbar trunk using surface electromyography, 689
Muscle pathology and clinical measures of disability in children with cerebral palsy, 758
Reflex hamstring contraction latency in the anterior cruciate ligament deficient subject, 219

Elution
Comparison of antibiotic release from polymethylmethacrylate beads and sponge collagen, 737
In vitro elution of ciprofloxacin from polymethylmethacrylate cement beads, 79

Energy expenditure
Muscle pathology and clinical measures of disability in children with cerebral palsy, 758

Epiphysis
Compressive stress-relaxation behavior of bovine growth plate may be described by the nonlinear biphasic theory, 804

Erratum
In vivo inflammatory response to polymethylmethacrylate particulate debris: effect of size, morphology, and surface area (pp 83-92), 598

Ethylene oxide sterilization
Effect of sterilization on bone morphogenetic protein, 628

Extracellular matrix
Characterization of extracellular matrix macromolecules from bovine synovial capsule, 365
Expression of collagens I, II, X, and XI and aggrecan mRNAs by bovine growth plate chondrocytes *in situ*, 1
Identification of integrin receptors on cultured human bone cells, 384

Femur
Comparative study of the intrinsic mechanical properties of the human acetabular and femoral head cartilage, 340
Effects of *cis*-diamminedichloroplatinum II released from D,L-polylactic acid implanted adjacent to cortical allografts in dogs, 871
Elastic modulus of calcified cartilage is an order of magnitude less than that of subchondral bone, 637
Femoral prosthesis implantation induces changes in bone stress that depend on the extent of porous coating, 553
Fit of the uncemented femoral component and the use of cement influence the strain transfer to the femoral cortex, 648
Foot inversion-eversion and knee kinematics during walking, 412
Healing of the rabbit medial collateral ligament following O'Donoghue triad injury: effects of anterior cruciate ligament reconstruction, 357
Histological and radiographic determination of the age of physeal closure of the distal femur, proximal tibia, and proximal fibula of the New Zealand White rabbit, 747
Histomorphometric analysis of the repair of a segmental diaphyseal defect with ceramic and titanium fibermetal implants: the effects of bone marrow, 439
Low intensity ultrasound treatment increases strength in a rat femoral fracture model, 40
Mechanical evaluation of six types of reconstruction following 25, 50, and 75% resection of the proximal femur, 834
Osteoarthritis in cynomolgus macaques: a primate model of naturally occurring disease, 331
Restoration of tissue components after insertion of absorbable fracture fixation devices of polyglycolide through the articular surface: an experimental study in the distal rabbit femur, 403

Fibrin
Chondrocyte-fibrin matrix transplants for resurfacing extensive articular cartilage defects, 485

Fibroblast growth factor
Effects of transforming growth factor-β1 and fibroblast growth factor on DNA synthesis in growth plate chondrocytes are enhanced by insulin-like growth factor-I, 299

Fibroblasts
Influence of exogenous growth factors on the expression of plasminogen activators and plasminogen activator inhibitors by cells isolated from normal and healing rabbit ligaments, 564
Particle-induced synthesis of collagenase by synovial fibroblasts: an immunocytochemical study, 286

Fibronectin
Fibronectin in the tendon-synovial complex: quantitation *in vivo* and *in vitro* by ELISA and relative mRNA levels by polymerase chain reaction and Northern blot, 253
Role of fibronectin in staphylococcal adhesion to metallic surfaces used as models of orthopaedic devices, 432

Fibula
Histological and radiographic determination of the age of physeal closure of the distal femur, proximal tibia, and proximal fibula of the New Zealand White rabbit, 747

Finite element
Chondrocyte cells respond mechanically to compressive loads, 311
Compressive stress-relaxation behavior of bovine growth plate may be described by the nonlinear biphasic theory, 804
Elastic modulus of calcified cartilage is an order of magnitude less than that of subchondral bone, 637
Femoral prosthesis implantation induces changes in bone stress that depend on the extent of porous coating, 553

Fixation
Effects of immobilization on Achilles tendon healing in a rat model, 582
Ingrowth reduces implant-to-bone relative displacements in canine acetabular prostheses, 657
Restoration of tissue components after insertion of absorbable fracture fixation devices of polyglycolide through the articular surface: an experimental study in the distal rabbit femur, 403

Flowmetry
Blood flow in the human Achilles tendon assessed by laser Doppler flowmetry, 246

Fluorescence microscopy
An assay to measure adriamycin binding in osteosarcoma cells, 621

Foot
Foot inversion-eversion and knee kinematics during walking, 412

Force
Evaluation of muscle force prediction models of the lumbar trunk using surface electromyography, 689
Method for establishing and measuring *in vivo* forces in an anterior cruciate ligament composite graft: response to differing levels of load sharing in a goat model, 780

Force-generating capacity
Superior displacement of the hip in total joint replacement: effects of prosthetic neck length, neck-stem angle, and anteversion angle on the moment-generating capacity of the muscles, 860

Fracture
Calcium-dependent neutral proteinase (calpain) in fracture healing of rats, 58
Cortical and trabecular bone contribute strength to the osteopenic distal radius, 211
Effect of capacitively coupled electric fields on an experimental model of delayed union of fracture, 262
Ion resonance electromagnetic field stimulation of fracture healing in rabbits with a fibular ostectomy, 878
Localisation of bone-forming cells during fracture healing by osteocalcin immunocytochemistry: an experimental study of the rabbit tibia, 29
Low intensity ultrasound treatment increases strength in a rat femoral fracture model, 40
Restoration of tissue components after insertion of absorbable fracture fixation devices of polyglycolide through the articular surface: an experimental study in the distal rabbit femur, 403
Technique for producing controlled closed fractures in rabbit model, 732

Gamma irradiation
Effect of sterilization on bone morphogenetic protein, 628

Glycosaminoglycans
Articular cartilage thickness and glycosaminoglycan distribution in the young canine knee joint after remobilization of the immobilized limb, 161
Chondrocyte-fibrin matrix transplants for resurfacing extensive articular cartilage defects, 485
Differential levels of synovial fluid aggrecan aggregate components in experimental osteoarthritis and joint disuse, 464
Maturation-related biochemical changes in swine anterior cruciate ligament and tibialis posterior tendon, 672
Metabolic activity of bovine articular cartilage during refrigerated storage, 15

Graft
Chondrocyte-fibrin matrix transplants for resurfacing extensive articular cartilage defects, 485
Effects of *cis*-diamminedichloroplatinum II released from D,L-polylactic acid implanted adjacent to cortical allografts in dogs, 871
Load affects remodeling of transplanted, autogenous bone-patellar tendon-bone segments in a rabbit model, 138
Mechanical evaluation of six types of reconstruction following 25, 50, and 75% resection of the proximal femur, 834
Method for establishing and measuring *in vivo* forces in an anterior cruciate ligament composite graft: response to differing levels of load sharing in a goat model, 780

Growth
Flexor tendon growth in chickens, 576
Histological and radiographic determination of the age of physeal closure of the distal femur, proximal tibia, and proximal fibula of the New Zealand White rabbit, 747
Sagittal configuration of the spine and growth of the posterior elements in early scoliosis, 113

Growth factors
Effects of transforming growth factor-β1 and fibroblast growth factor on DNA synthesis in growth plate chondrocytes are enhanced by insulin-like growth factor-I, 299
Influence of exogenous growth factors on the expression of plasminogen activators and plasminogen activator inhibitors by cells isolated from normal and healing rabbit ligaments, 564

Growth plate
Compressive stress-relaxation behavior of bovine growth plate may be described by the nonlinear biphasic theory, 804
Effects of transforming growth factor-β1 and fibroblast growth factor on DNA synthesis in growth plate chondrocytes are enhanced by insulin-like growth factor-I, 299
Expression of collagens I, II, X, and XI and aggrecan mRNAs by bovine growth plate chondrocytes *in situ*, 1
Histological and radiographic determination of the age of physeal closure of the distal femur, proximal tibia, and proximal fibula of the New Zealand White rabbit, 747

Hand
Kinematics of the normal trapeziometacarpal joint, 197
Kinematics of the trapeziometacarpal joint after sectioning of ligaments, 205

Healing
Calcium-dependent neutral proteinase (calpain) in fracture healing of rats, 58
Effect of capacitively coupled electric fields on an experimental model of delayed union of fracture, 262
Effects of different levels of direct current on early ligament healing in a rat model, 683
Effects of immobilization on Achilles tendon healing in a rat model, 582
Healing of the rabbit medial collateral ligament following O'Donoghue triad injury: effects of anterior cruciate ligament reconstruction, 357
Influence of exogenous growth factors on the expression of plasminogen activators and plasminogen activator inhibitors by cells isolated from normal and healing rabbit ligaments, 564
Localisation of bone-forming cells during fracture healing by osteocalcin immunocytochemistry: an experimental study of the rabbit tibia, 29
Low intensity ultrasound treatment increases strength in a rat femoral fracture model, 40

Helical axis
Three-dimensional knee joint movements during a step-up: evaluation after anterior cruciate ligament rupture, 769

Hip
Comparative study of the intrinsic mechanical properties of the human acetabular and femoral head cartilage, 340
Ingrowth reduces implant-to-bone relative displacements in canine acetabular prostheses, 657
Superior displacement of the hip in total joint replacement: effects of prosthetic neck length, neck-stem angle, and anteversion angle on the moment-generating capacity of the muscles, 860

HLA antigens
Demonstration of HLA and ABH antigens in fresh and frozen human menisci by immunohistochemistry, 751

Hyaluronan
Centrifugal and biochemical comparison of proteoglycan aggregates from articular

cartilage in experimental models of joint disuse and joint instability, 498
Short communication: Structural differences between two populations of articular cartilage proteoglycan aggregates, 144

Hyaluronic acid binding region
Effect of link protein and free hyaluronic acid binding region on spacing of proteoglycans in aggregates, 612

Hydroxyapatite
Bone response to hydroxyapatite-coated and commercially pure titanium implants in the human arthritic knee, 274
Mechanical evaluation of a canine intervertebral disc spacer: *in situ* and *in vivo* studies, 119

Hydroxyproline
Collagens in the injured porcine intervertebral disc, 93

Ilium
Relationship of donor site to chondrogenic potential of periosteum *in vitro*, 515

Immobilization
Articular cartilage thickness and glycosaminoglycan distribution in the young canine knee joint after remobilization of the immobilized limb, 161
Effects of immobilization on Achilles tendon healing in a rat model, 582

Immunocytochemistry
Localisation of bone-forming cells during fracture healing by osteocalcin immunocytochemistry: an experimental study of the rabbit tibia, 29
Particle-induced synthesis of collagenase by synovial fibroblasts: an immunocytochemical study, 286

Immunohistochemistry
Demonstration of HLA and ABH antigens in fresh and frozen human menisci by immunohistochemistry, 751

Immunology
Systemic immune response to peripheral nerve transplants across major histocompatibility class-I and class-II barriers, 844

Infection
Infection at the site of implanted materials with and without preadhered bacteria, 526

Inflammatory response
Comparison of the inflammatory response to particulate polymethylmethacrylate debris with and without barium sulfate, 532
In vivo inflammatory response to polymethylmethacrylate particulate debris: effect of size, morphology, and surface area, 83

Ingrowth
Comparison of primate and canine models for bone ingrowth experimentation, with reference to the effect of ovarian function on bone ingrowth potential, 268
Histomorphometric analysis of the repair of a segmental diaphyseal defect with ceramic and titanium fibermetal implants: the effects of bone marrow, 439
Ingrowth reduces implant-to-bone relative displacements in canine acetabular prostheses, 657
Mechanical evaluation of a canine intervertebral disc spacer: *in situ* and *in vivo* studies, 119
Tendons attached to prostheses by tendon-bone block fixation: an experimental study in dogs, 814

Insulin-like growth factor
Effects of transforming growth factor-β1 and fibroblast growth factor on DNA synthesis in growth plate chondrocytes are enhanced by insulin-like growth factor-I, 299
Influence of exogenous growth factors on the expression of plasminogen activators and plasminogen activator inhibitors by cells isolated from normal and healing rabbit ligaments, 564

Integrins
Identification of integrin receptors on cultured human bone cells, 384

Interleukin-1
Effect of animal age and chronicity of interleukin-1 exposure on cartilage proteoglycan depletion *in vivo*, 321

Inversion-eversion
Foot inversion-eversion and knee kinematics during walking, 412

Iodoacetate
Site-specific cartilage changes in murine degenerative knee joint disease induced by iodoacetate and collagenase, 168

Ion resonance
Ion resonance electromagnetic field stimulation of fracture healing in rabbits with a fibular ostectomy, 878

Ischemia
Decreased microvascular perfusion in the rabbit ear after six hours of ischemia, 48

Jogging
Effect of anterior cruciate ligament deficiency on economy of walking and jogging, 592

Kinematics
Foot inversion-eversion and knee kinematics during walking, 412
Kinematics of the normal trapeziometacarpal joint, 197
Kinematics of the trapeziometacarpal joint after sectioning of ligaments, 205
Malrotation of the humeral component of the capitellocondylar total elbow is not a major cause of dislocation, 665
Serial kinematic analysis of the unstable knee after transection of the anterior cruciate ligament: temporal and angular changes in a canine model of osteoarthritis, 229
Technique for *in vivo* measurement of the three-dimensional kinematics and laxity characteristics of the ankle joint complex, 421

Knee
Articular cartilage thickness and glycosaminoglycan distribution in the young canine knee joint after remobilization of the immobilized limb, 161
Bone response to hydroxyapatite-coated and commercially pure titanium implants in the human arthritic knee, 274
Foot inversion-eversion and knee kinematics during walking, 412
Healing of the rabbit medial collateral ligament following O'Donoghue triad injury: effects of anterior cruciate ligament reconstruction, 357
Load affects remodeling of transplanted, autogenous bone-patellar tendon-bone segments in a rabbit model, 138
Nonuniform distribution of collagen density in human knee ligaments, 238
Osteoarthritis in cynomolgus macaques: a primate model of naturally occurring disease, 331
Serial kinematic analysis of the unstable knee after transection of the anterior cruciate ligament: temporal and angular changes in a canine model of osteoarthritis, 229
Short communication: Structural differences between two populations of articular cartilage proteoglycan aggregates, 144
Temporal patterns of stromelysin-1, tissue inhibitor, and proteoglycan fragments in human knee joint fluid after injury to the cruciate ligament or meniscus, 21
Three-dimensional knee joint movements during a step-up: evaluation after anterior cruciate ligament rupture, 769

Kyphosis
Sagittal configuration of the spine and growth of the posterior elements in early scoliosis, 113

Laser Doppler flowmetry
Blood flow in the human Achilles tendon assessed by laser Doppler flowmetry, 246

Lathyrism
Effects of lathyritic drugs and lathyritic demineralized bone matrix on induced and sustained osteogenesis, 395

Laxity
Malrotation of the humeral component of the capitellocondylar total elbow is not a major cause of dislocation, 665
Technique for *in vivo* measurement of the three-dimensional kinematics and laxity characteristics of the ankle joint complex, 421

Lidocaine
Comparison of absorption of aqueous lidocaine and liposome lidocaine following topical application on rabbit vessels, 294

Ligament
Aging, vertebral density, and disc degeneration alter the tensile stress-strain characteristics of the human anterior longitudinal ligament, 103
Determination of a zero strain reference for the anteromedial band of the anterior cruciate ligament, 789
Effect of anterior cruciate ligament deficiency on economy of walking and jogging, 592
Effects of different levels of direct current on early ligament healing in a rat model, 683
Healing of the rabbit medial collateral ligament following O'Donoghue triad

injury: effects of anterior cruciate ligament reconstruction, 357
Influence of exogenous growth factors on the expression of plasminogen activators and plasminogen activator inhibitors by cells isolated from normal and healing rabbit ligaments, 564
Intraosseous incorporation of composite collagen prostheses designed for ligament reconstruction, 128
Kinematics of the trapeziometacarpal joint after sectioning of ligaments, 205
Maturation-related biochemical changes in swine anterior cruciate ligament and tibialis posterior tendon, 672
Mechanical and biochemical changes in the superficial zone of articular cartilage in canine experimental osteoarthritis, 474
Mechanical properties of canine articular cartilage are significantly altered following transection of the anterior cruciate ligament, 451
Method for establishing and measuring *in vivo* forces in an anterior cruciate ligament composite graft: response to differing levels of load sharing in a goat model, 780
Nonuniform distribution of collagen density in human knee ligaments, 238
Reflex hamstring contraction latency in the anterior cruciate ligament deficient subject, 219
Serial kinematic analysis of the unstable knee after transection of the anterior cruciate ligament: temporal and angular changes in a canine model of osteoarthritis, 229
Technique for *in vivo* measurement of the three-dimensional kinematics and laxity characteristics of the ankle joint complex, 421
Temporal patterns of stromelysin-1, tissue inhibitor, and proteoglycan fragments in human knee joint fluid after injury to the cruciate ligament or meniscus, 21
Three-dimensional knee joint movements during a step-up: evaluation after anterior cruciate ligament rupture, 769

Light diffraction
Adaptation of skeletal muscle in limb lengthening: a light diffraction study on the sarcomere length *in situ*, 193

Limb lengthening
Adapatation of skeletal muscle in limb lengthening: a light diffraction study on the sarcomere length *in situ*, 193

Link protein
Effect of link protein and free hyaluronic acid binding region on spacing of proteoglycans in aggregates, 612

Liposome
Comparison of absorption of aqueous lidocaine and liposome lidocaine following topical application on rabbit vessels, 294

Load
Chondrocyte cells respond mechanically to compressive loads, 311
Compressive stress-relaxation behavior of bovine growth plate may be described by the nonlinear biphasic theory, 804
Effect of cyclic and static tensile loading on water content and solute diffusion in canine flexor tendons: an *in vitro* study, 350
Load affects remodeling of transplanted autogenous bone-patellar tendon-bone segments in a rabbit model, 138
Method for establishing and measuring *in vivo* forces in an anterior cruciate ligament composite graft: response to differing levels of load sharing in a goat model, 780

Macromolecules
Characterization of extracellular matrix macromolecules from bovine synovial capsule, 365

Macrophages
Response of three murine macrophage populations to particulate debris: bone resorption in organ cultures, 720

Magnetic resonance imaging
Diurnal fluid changes of lumbar discs measured indirectly by magnetic resonance imaging, 509

Major histocompatibility complex
Demonstration of HLA and ABH antigens in fresh and frozen human menisci by immunohistochemistry, 751
Systemic immune response to peripheral nerve transplants across major histocompatibility class-I and class-II barriers, 844

Malrotation
Malrotation of the humeral component of the capitellocondylar total elbow is not a major cause of dislocation, 665

Mathematical model
Mathematical model for the mineralization of bone, 375

Maturation
Maturation-related biochemical changes in swine anterior cruciate ligament and tibialis posterior tendon, 672

Mechanical properties
Aging, vertebral density, and disc degeneration alter the tensile stress-strain characteristics of the human anterior longitudinal ligament, 103
Chondrocyte cells respond mechanically to compressive loads, 311
Comparative study of the intrinsic mechanical properties of the human acetabular and femoral head cartilage, 340
Determination of a zero strain reference for the anteromedial band of the anterior cruciate ligament, 789
Effects of different levels of direct current on early ligament healing in a rat model, 683
Effects of immobilization on Achilles tendon healing in a rat model, 582
Effects of intermittent administration of pamidronate on the mechanical properties of canine cortical and trabecular bone, 742
Estimation of material properties in the equine metacarpus with use of quantitative computed tomography, 822
Healing of the rabbit medial collateral ligament following O'Donoghue triad injury: effects of anterior cruciate ligament reconstruction, 357
Load affects remodeling of transplanted, autogenous bone-patellar tendon-bone segments in a rabbit model, 138
Mechanical and biochemical changes in the superficial zone of articular cartilage in canine experimental osteoarthritis, 474
Mechanical evaluation of a canine intervertebral disc spacer: *in situ* and *in vivo* studies, 119
Mechanical evaluation of six types of reconstruction following 25, 50, and 75% resection of the proximal femur, 834
Mechanical properties of canine articular cartilage are significantly altered following transection of the anterior cruciate ligament, 451
Tensile and viscoelastic properties of human patellar tendon, 796

Meniscus
Demonstration of HLA and ABH antigens in fresh and frozen human menisci by immunohistochemistry, 751
Radial tie fibers influence the tensile properties of the bovine medial meniscus, 176
Temporal patterns of stromelysin-1, tissue inhibitor, and proteoglycan fragments in human knee joint fluid after injury to the cruciate ligament or meniscus, 21

Metabolism
Culture surfaces coated with various implant materials affect chondrocyte growth and metabolism, 542
Cyclic stretching of human osteoblasts affects proliferation and metabolism: a new experimental method and its application, 70
Effects of thapsigargin, an intracellular calcium-mobilizing agent, on synthesis and secretion of cartilage collagen and proteoglycan, 601
Metabolic activity of bovine articular cartilage during refrigerated storage, 15

Metacarpophalangeal joint
Characterization of extracellular matrix macromolecules from bovine synovial capsule, 365

Metacarpus
Estimation of material properties in the equine metacarpus with use of quantitative computed tomography, 822

Metal implants
Bone response to hydroxyapatite-coated and commercially pure titanium implants in the human arthritic knee, 274
Culture surfaces coated with various implant materials affect chondrocyte growth and metabolism, 542
Histomorphometric analysis of the repair of a segmental diaphyseal defect with ceramic and titanium fibermetal implants: the effects of bone marrow, 439
Infection at the site of implanted materials with and without preadhered bacteria, 526
Role of fibronectin in staphylococcal adhesion to metallic surfaces used as models of orthopaedic devices, 432

Mineralization
Mathematical model for the mineralization of bone, 375

Moment-generating capacity
Superior displacement of the hip in total

joint replacement: effects of prosthetic neck length, neck-stem angle, and anteversion angle on the moment-generating capacity of the muscles, 860

Monoclonal antibodies
Identification of integrin receptors on cultured human bone cells, 384

Motion
Kinematics of the normal trapeziometacarpal joint, 197
Kinematics of the trapeziometacarpal joint after sectioning of ligaments, 205
Technique for *in vivo* measurement of the three-dimensional kinematics and laxity characteristics of the ankle joint complex, 421

Muscle
Adaptation of skeletal muscle in limb lengthening: a light diffraction study on the sarcomere length *in situ*, 193
The entire rotator cuff contributes to elevation of the arm, 699
Evaluation of muscle force prediction models of the lumbar trunk using surface electromyography, 689
Muscle pathology and clinical measures of disability in children with cerebral palsy, 758
Reflex hamstring contraction latency in the anterior cruciate ligament deficient subject, 219
Superior displacement of the hip in total joint replacement: effects of prosthetic neck length, neck-stem angle, and anteversion angle on the moment-generating capacity of the muscles, 860

Nerve
Substance P-immunoreactive and protein gene product 9.5-immunoreactive nerve fibres in bone marrow of rat coccygeal vertebrae, 853
Systemic immune response to peripheral nerve transplants across major histocompatibility class-I and class-II barriers, 844

Neuropeptides
Neuropeptides in the human intervertebral disc, 186

Nucleus pulposus
Collagens in the injured porcine intervertebral disc, 93
Neuropeptides in the human intervertebral disc, 186

O'Donoghue triad injury
Healing of the rabbit medial collateral ligament following O'Donoghue triad injury: effects of anterior cruciate ligament reconstruction, 357

Oophorectomy
Comparison of primate and canine models for bone ingrowth experimentation, with reference to the effect of ovarian function on bone ingrowth potential, 268
Osteoarthritis in cynomolgus macaques a primate model of naturally occurring disease, 331

Optimization technique
Elastic modulus of calcified cartilage is an order of magnitude less than that of subchondral bone, 637
Evaluation of muscle force prediction models of the lumbar trunk using surface electromyography, 689

Osteoarthritis
Bone response to hydroxyapatite-coated and commercially pure titanium implants in the human arthritic knee, 274
Differential levels of synovial fluid aggrecan aggregate components in experimental osteoarthritis and joint disuse, 464
Mechanical and biochemical changes in the superficial zone of articular cartilage in canine experimental osteoarthritis, 474
Osteoarthritis in cynomolgus macaques: a primate model of naturally occurring disease, 331
Serial kinematic analysis of the unstable knee after transection of the anterior cruciate ligament: temporal and angular changes in a canine model of osteoarthritis, 229
Site-specific cartilage changes in murine degenerative knee joint disease induced by iodoacetate and collagenase, 168

Osteoblasts
Cyclic stretching of human osteoblasts affects proliferation and metabolism: a new experimental method and its application, 70
Device for the application of a dynamic biaxially uniform and isotropic strain to a flexible cell culture membrane, 709

Osteocalcin
Localisation of bone-forming cells during fracture healing by osteocalcin immunocytochemistry: an experimental study of the rabbit tibia, 29

Osteogenesis
Effects of lathyritic drugs and lathyritic demineralized bone matrix on induced and sustained osteogenesis, 395

Osteoinductivity
Effect of sterilization on bone morphogenetic protein, 628

Osteolysis
Comparison of the inflammatory response to particulate polymethylmethacrylate debris with and without barium sulfate, 532

Osteons
Mathematical model for the mineralization of bone, 375

Osteopenia
Cortical and trabecular bone contribute strength to the osteopenic distal radius, 211

Osteosarcoma
An assay to measure adriamycin binding in osteosarcoma cells, 621

Oxygen consumption
Effect of anterior cruciate ligament deficiency on economy of walking and jogging, 592

Pamidronate
Effects of intermittent administration of pamidronate on the mechanical properties of canine cortical and trabecular bone, 742

Patella
Elastic modulus of calcified cartilage is an order of magnitude less than that of subchondral bone, 637
Load affects remodeling of transplanted, autogenous bone-patellar tendon-bone segments in a rabbit model, 138
Site-specific cartilage changes in murine degenerative knee joint disease induced by iodoacetate and collagenase, 168

Perfusion
Decreased microvascular perfusion in the rabbit ear after six hours of ischemia, 48

Periosteum
Relationship of donor site to chondrogenic potential of periosteum *in vitro*, 515

Permeability
Comparative study of the intrinsic mechanical properties of the human acetabular and femoral head cartilage, 340
Compressive stress-relaxation behavior of bovine growth plate may be described by the nonlinear biphasic theory, 804
Mechanical properties of canine articular cartilage are significantly altered following transection of the anterior cruciate ligament, 451

Plasminogen activators
Influence of exogenous growth factors on the expression of plasminogen activators and plasminogen activator inhibitors by cells isolated from normal and healing rabbit ligaments, 564

Polyglycolide
Restoration of tissue components after insertion of absorbable fracture fixation devices of polyglycolide through the articular surface: an experimental study in the distal rabbit femur, 403

Polymethylmethacrylate
Comparison of antibiotic release from polymethylmethacrylate beads and sponge collagen, 737
Comparison of the inflammatory response to particulate polymethylmethacrylate debris with and without barium sulfate, 532
Infection at the site of implanted materials with and without preadhered bacteria, 526
In vitro elution of ciprofloxacin from polymethylmethacrylate cement beads, 79
In vivo inflammatory response to polymethylmethacrylate particulate debris: effect of size, morphology, and surface area, 83
Response of three murine macrophage populations to particulate debris: bone resorption in organ cultures, 720

Porous coating
Femoral prosthesis implantation induces changes in bone stress that depend on the extent of porous coating, 553

Prosthesis
Comparison of primate and canine models for bone ingrowth experimentation, with reference to the effect of ovarian function on bone ingrowth potential, 268
Femoral prosthesis implantation induces changes in bone stress that depend on the extent of porous coating, 553

Fit of the uncemented femoral component and the use of cement influence the strain transfer to the femoral cortex, 648
Ingrowth reduces implant-to-bone relative displacements in canine acetabular prostheses, 657
Intraosseous incorporation of composite collagen prostheses designed for ligament reconstruction, 128
Malrotation of the humeral component of the capitellocondylar total elbow is not a major cause of dislocation, 665
Superior displacement of the hip in total joint replacement: effects of prosthetic neck length, neck-stem angle, and anteversion angle on the moment-generating capacity of the muscles, 860
Tendons attached to prostheses by tendon-bone block fixation: an experimental study in dogs, 814

Protein
Effect of sterilization on bone morphogenetic protein, 628Electric field stimulation can increase
protein synthesis in articular cartilage explants, 151
Substance P-immunoreactive and protein gene product 9.5-immunoreactive nerve fibres in bone marrow of rat coccygeal vertebrae, 853

Protein gene product 9.5
Neuropeptides in the human intervertebral disc, 186

Proteinase
Calcium-dependent neutral proteinase (calpain) in fracture healing of rats, 58

Proteoglycans
Centrifugal and biochemical comparison of proteoglycan aggregates from articular cartilage in experimental models of joint disuse and joint instability, 498
Characterization of extracellular matrix macromolecules from bovine synovial capsule, 365
Chondrocyte-fibrin matrix transplants for resurfacing extensive articular cartilage defects, 485
Differential levels of synovial fluid aggrecan aggregate components in experimental osteoarthritis and joint disuse, 464
Effect of animal age and chronicity of interleukin-1 exposure on cartilage proteoglycan depletion *in vivo*, 321
Effect of link protein and free hyaluronic acid binding region on spacing of proteoglycans in aggregates, 612
Effects of thapsigargin, an intracellular calcium-mobilizing agent, on synthesis and secretion of cartilage collagen and proteoglycan, 601
Expression of collagens I, II, X, and XI and aggrecan mRNAs by bovine growth plate chondrocytes *in situ*, 1
Short communication: Structural differences between two populations of articular cartilage proteoglycan *aggregates*, 144
Temporal patterns of stromelysin-1, tissue inhibitor, and proteoglycan fragments in human knee joint fluid after injury to the cruciate ligament or meniscus, 21

Quantitative computed tomography
Cortical and trabecular bone contribute strength to the osteopenic distal radius, 211
Estimation of material properties in the equine metacarpus with use of quantitative computed tomography, 822

Quasilinear viscoelasticity
Tensile and viscoelastic properties of human patellar tendon, 796

Radial fibers
Radial tie fibers influence the tensile properties of the bovine medial meniscus, 176

Radiocarpal joints
Expression of collagens I, II, X, and XI and aggrecan mRNAs by bovine growth plate chondrocytes *in situ*, 1

Radius
Adaptation of skeletal muscle in limb lengthening: a light diffraction study on the sarcomere length *in situ*, 193
Cortical and trabecular bone contribute strength to the osteopenic distal radius, 211
Effect of capacitively coupled electric fields on an experimental model of delayed union of fracture, 262

Reconstruction
Healing of the rabbit medial collateral ligament following O'Donoghue triad injury: effects of anterior cruciate ligament reconstruction, 357
Intraosseous incorporation of composite collagen prostheses designed for ligament reconstruction, 128
Mechanical evaluation of six types of reconstruction following 25, 50, and 75% resection of the proximal femur, 834

Remodeling
Load affects remodeling of transplanted, autogenous bone-patellar tendon-bone segments in a rabbit model, 138

Resorption
Response of three murine macrophage populations to particulate debris: bone resorption in organ cultures, 720

Roentgen stereophotogrammetry
Three-dimensional knee joint movements during a step-up: evaluation after anterior cruciate ligament rupture, 769

Rotator cuff
The entire rotator cuff contributes to elevation of the arm, 699

Sarcomeres
Adapatation of skeletal muscle in limb lengthening: a light diffraction study on the sarcomere length *in situ*, 193

Scanning electron microscopy
Scanning electron microscopic observations of the vascular structure of vertebral end-plates in rabbits, 447

Scapula
Relationship of donor site to chondrogenic potential of periosteum *in vitro*, 515

Scoliosis
Sagittal configuration of the spine and growth of the posterior elements in early scoliosis, 113

Screw fixation
Ingrowth reduces implant-to-bone relative displacements in canine acetabular prostheses, 657

Shear modulus
Mechanical properties of canine articular cartilage are significantly altered following transection of the anterior cruciate ligament, 451

Shoulder
The entire rotator cuff contributes to elevation of the arm, 699

Skull
Relationship of donor site to chondrogenic potential of periosteum *in vitro*, 515

Spine
Sagittal configuration of the spine and growth of the posterior elements in early scoliosis, 113

Sponge collagen
Comparison of antibiotic release from polymethylmethacrylate beads and sponge collagen, 737

Stainless steel
Infection at the site of implanted materials with and without preadhered bacteria, 526
Role of fibronectin in staphylococcal adhesion to metallic surfaces used as models of orthopaedic devices, 432

Sterilization
Effect of sterilization on bone morphogenetic protein, 628

Stiffness
Effects of different levels of direct current on early ligament healing in a rat model, 683
Effects of immobilization on Achilles tendon healing in a rat model, 582
Effects of intermittent administration of pamidronate on the mechanical properties of canine cortical and trabecular bone, 742
Elastic modulus of calcified cartilage is an order of magnitude less than that of subchondral bone, 637
Ion resonance electromagnetic field stimulation of fracture healing in rabbits with a fibular ostectomy, 878
Load affects remodeling of transplanted, autogenous bone-patellar tendon-bone segments in a rabbit model, 138
Low intensity ultrasound treatment increases strength in a rat femoral fracture model, 40
Mechanical and biochemical changes in the superficial zone of articular cartilage in canine experimental osteoarthritis, 474
Mechanical evaluation of six types of reconstruction following 25, 50, and 75% resection of the proximal femur, 834
Site-specific cartilage changes in murine degenerative knee joint disease induced by iodoacetate and collagenase, 168
Tendons attached to prostheses by tendon-bone block fixation: an experimental study in dogs, 814
Tensile and viscoelastic properties of human patellar tendon, 796

Strain
Aging, vertebral density, and disc degeneration alter the tensile stress-strain characteristics of the human anterior longitudinal ligament, 103
Chondrocyte cells respond mechanically to compressive loads, 311
Cyclic stretching of human osteoblasts affects proliferation and metabolism: a new experimental method and its application, 70
Determination of a zero strain reference for the anteromedial band of the anterior cruciate ligament, 789
Device for the application of a dynamic biaxially uniform and isotropic strain to a flexible cell culture membrane, 709
Estimation of material properties in the equine metacarpus with use of quantitative computed tomography, 822
Fit of the uncemented femoral component and the use of cement influence the strain transfer to the femoral cortex, 648

Strength
Aging, vertebral density, and disc degeneration alter the tensile stress-strain characteristics of the human anterior longitudinal ligament, 103
Cortical and trabecular bone contribute strength to the osteopenic distal radius, 211
Load affects remodeling of transplanted, autogenous bone-patellar tendon-bone segments in a rabbit model, 138
Low intensity ultrasound treatment increases strength in a rat femoral fracture model, 40
Tendons attached to prostheses by tendon-bone block fixation: an experimental study *in dogs*, 814
Tensile and viscoelastic properties of human patellar tendon, 796

Stress
Aging, vertebral density, and disc degeneration alter the tensile stress-strain characteristics of the human anterior longitudinal ligament, 103
Effects of intermittent administration of pamidronate on the mechanical properties of canine cortical and trabecular bone, 742
Femoral prosthesis implantation induces changes in bone stress that depend on the extent of porous coating, 553

Stress proteins
Electric field stimulation can increase protein synthesis in articular cartilage explants, 151

Stress-relaxation
Compressive stress-relaxation behavior of bovine growth plate may be described by the nonlinear biphasic theory, 804
Mechanical and biochemical changes in the superficial zone of articular cartilage in canine experimental osteoarthritis, 474
Mechanical properties of canine articular *cartilage are significantly altered follow*ing transection of the anterior cruciate ligament, 451
Tensile and viscoelastic properties of human patellar tendon, 796

Stromelysin-1
Temporal patterns of stromelysin-1, tissue inhibitor, and proteoglycan fragments in human knee joint fluid after injury to the cruciate ligament or meniscus, 21

Substance P
Substance P-immunoreactive and protein gene product 9.5-immunoreactive nerve fibres in bone marrow of rat coccygeal vertebrae, 853

Synovial capsule
Characterization of extracellular matrix macromolecules from bovine synovial capsule, 365

Synovial fluid
Differential levels of synovial fluid aggrecan aggregate components in experimental osteoarthritis and joint disuse, 464

Synovium
Fibronectin in the tendon-synovial complex: quantitation *in vivo* and *in vitro* by ELISA and relative mRNA levels by polymerase chain reaction and Northern blot, 253
Particle-induced synthesis of collagenase by synovial fibroblasts: an immunocytochemical study, 286

Tendon
Blood flow in the human Achilles tendon assessed by laser Doppler flowmetry, 246
Effect of cyclic and static tensile loading on water content and solute diffusion in canine flexor tendons: an *in vitro* study, 350
Effects of immobilization on Achilles tendon healing in a rat model, 582
Fibronectin in the tendon-synovial complex: quantitation *in vivo* and *in vitro* by ELISA and relative mRNA levels by polymerase chain reaction and Northern blot, 253
Flexor tendon growth in chickens, 576
Load affects remodeling of transplanted, autogenous bone-patellar tendon-bone segments in a rabbit model, 138
Maturation-related biochemical changes in swine anterior cruciate ligament and tibialis posterior tendon, 672
Method for establishing and measuring *in vivo* forces in an anterior cruciate ligament composite graft: response to differing levels of load sharing in a goat model, 780
Tendons attached to prostheses by tendon-bone block fixation: an experimental study in dogs, 814
Tensile and viscoelastic properties of human patellar tendon, 796

Thapsigargin
Effects of thapsigargin, an intracellular calcium-mobilizing agent, on synthesis and secretion of cartilage collagen and proteoglycan, 601

Thumb
Kinematics of the normal trapeziometacarpal joint, 197
Kinematics of the trapeziometacarpal joint after sectioning of ligaments, 205

Tibia
Calcium-dependent neutral proteinase (calpain) in fracture healing of rats, 58
Foot inversion-eversion and knee kinematics during walking, 412
Healing of the rabbit medial collateral ligament following O'Donoghue triad injury: effects of anterior cruciate ligament reconstruction, 357
Histological and radiographic determination of the age of physeal closure of the distal femur, proximal tibia, and proximal fibula of the New Zealand White rabbit, 747
Localisation of bone-forming cells during fracture healing by osteocalcin immunocytochemistry: an experimental study of the rabbit tibia, 29
Osteoarthritis in cynomolgus macaques: a primate model of naturally occurring disease, 331
Relationship of donor site to chondrogenic potential of periosteum *in vitro*, 515
Site-specific cartilage changes in murine degenerative knee joint disease induced by iodoacetate and collagenase, 168
Technique for producing controlled closed fractures in rabbit model, 732

Tissue inhibitor of metalloproteinases-1
Temporal patterns of stromelysin-1, tissue inhibitor, and proteoglycan fragments in human knee joint fluid after injury to the cruciate ligament or meniscus, 21

Titanium
Bone response to hydroxyapatite-coated and commercially pure titanium implants in the human arthritic knee, 274
Comparison of primate and canine models for bone ingrowth experimentation, with reference to the effect of ovarian function on bone ingrowth potential, 268
Culture surfaces coated with various implant materials affect chondrocyte growth and metabolism, 542
Histomorphometric analysis of the repair of a segmental diaphyseal defect with ceramic and titanium fibermetal implants: the effects of bone marrow, 439
Infection at the site of implanted materials with and without preadhered bacteria, 526
Ingrowth reduces implant-to-bone relative displacements in canine acetabular prostheses, 657
Response of three murine macrophage populations to particulate debris: bone resorption in organ cultures, 720
Role of fibronectin in staphylococcal adhesion to metallic surfaces used as models of orthopaedic devices, 432
Tendons attached to prostheses by tendon-bone block fixation: an experimental study in dogs, 814

Torso
Evaluation of muscle force prediction models of the lumbar trunk using surface electromyography, 689

Transforming growth factor-β1
Effects of transforming growth factor-β1 and fibroblast growth factor on DNA *synthesis in growth plate chondrocytes* are enhanced by insulin-like growth factor-I, 299
Influence of exogenous growth factors on the expression of plasminogen activators

and plasminogen activator inhibitors by cells isolated from normal and healing rabbit ligaments, 564

Transplantation
Systemic immune response to peripheral nerve transplants across major histocompatibility class-I and class-II barriers, 844

Trapeziometacarpal joint
Kinematics of the normal trapeziometacarpal joint, 197
Kinematics of the trapeziometacarpal joint *after sectioning of ligaments*, 205

Tumor
An assay to measure adriamycin binding in osteosarcoma cells, 621

Ulna
Adaptation of skeletal muscle in limb *lengthening: a light diffraction study on* the sarcomere length *in situ*, 193

Ultrasound treatment
Low intensity ultrasound treatment increases strength in a rat femoral fracture *model*, 40

Unconstrained total elbow
Malrotation of the humeral component of the capitellocondylar total elbow is not a major cause of dislocation, 665

Uniaxial strain
Chondrocyte cells respond mechanically to *compressive loads*, 311

Vascularity
Scanning electron microscopic observations of the vascular structure of *vertebral end-plates in rabbits*, 447

Vertebrae
Aging, vertebral density, and disc degeneration alter the tensile stress-strain characteristics of the human anterior longitudinal ligament, 103
Effects of intermittent administration of *pamidronate on the mechanical properties* of canine cortical and trabecular bone, 742
Mechanical evaluation of a canine intervertebral disc spacer: *in situ* and *in vivo* studies, 119
Sagittal configuration of the spine and growth of the posterior elements in early *scoliosis*, 113
Substance P-immunoreactive and protein gene product 9.5-immunoreactive nerve *fibres in bone marrow of rat coccygeal* vertebrae, 853

Viscoelasticity
Chondrocyte cells respond mechanically to compressive loads, 311
Tensile and viscoelastic properties of human patellar tendon, 796

Vital capillaroscopy
Decreased microvascular perfusion in the rabbit ear after six hours of ischemia, 48

Walking
Effect of anterior cruciate ligament deficiency on economy of walking and *jogging*, 592
Foot inversion-eversion and knee kinematics during walking, 412

Water content
Centrifugal and biochemical comparison *of proteoglycan aggregates from articular* cartilage in experimental models of joint disuse and joint instability, 498
Characterization of extracellular matrix macromolecules from bovine synovial *capsule*, 365
Comparative study of the intrinsic mechanical properties of the human acetabular and femoral head cartilage, 340
Differential levels of synovial fluid *aggrecan aggregate components in experimental* osteoarthritis and joint disuse, 464
Diurnal fluid changes of lumbar discs measured indirectly by magnetic resonance imaging, 509
Effect of cyclic and static tensile loading on water content and solute diffusion in *canine flexor tendons: an in vitro study*, 350
Maturation-related biochemical changes *in swine anterior cruciate ligament and* tibialis posterior tendon, 672
Mechanical and biochemical changes in the superficial zone of articular cartilage in canine experimental osteoarthritis, 474
Mechanical properties of canine articular cartilage are significantly altered following transection of the anterior cruciate ligament, 451

Wear debris
Comparison of the inflammatory response *to particulate polymethylmethacrylate* debris with and without barium sulfate, 532
In vivo inflammatory response to polymethylmethacrylate particulate debris: *effect of size, morphology, and surface* area, 83
Particle-induced synthesis of collagenase *by synovial fibroblasts: an immunocytochemical* study, 286
Response of three murine macrophage populations to particulate debris: bone resorption in organ cultures, 720